Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4466	(activat$4 or function)with (project$4)with(tilt$4 or rotat$4 or inclin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:48
L2	4466	(project$4)with(activat$4 or function)with (tilt$4 or rotat$4 or inclin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:48
L3	243	(activat$4 or function)with (project$4)near(tilt$4 or rotat$4 or inclin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:50
L4	12	(activat$4 or function)with (projector)near(tilt$4 or rotat$4 or inclin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:51
L5	11	(activat$4 or function)near (tilt$4 or rotat$4 or inclin$4)with(projector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:53
L6	14	(functions)near (projector)with(tilt$4 or rotat$4 or inclin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:57
L7	0	(tilt$5 or inclin$5)with(slect$4 near functions)with (projector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:58
L8	0	(tilt$5 or inclin$5)with(slect$4 near functions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:58
L9	0	(tilt$5 or inclin$5)with(slect$4 with functions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:59

L10	521	(tilt$5 or inclin$5)same(slect$4 or activat$4)with (functions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 14:59
L11	13	(tilt$5 or inclin$5)same(slect$4 or activat$4)with (functions)same (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:01
L12	151	(tilt$5 or inclin$5)same(slect$4 or activat$4)with (functions)and (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:01
L13	63	(tilt$5 or inclin$5)with(slect$4 or activat$4)with (functions)and (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:04
L14	1	(tilt$5 or inclin$5)with(slect$4 or activat$4)with (functions)same (projector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:06
L15	1	(tilt$5 or inclin$5 or slant$5)with(slect$4 or activat$4)with (functions)same (projector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:06
L16	1	(tilt$5 or inclin$5 or slant$5)same(slect$4 or activat$4)with (functions)same (projector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:06
L17	14	(tilt$5 or inclin$5 or slant$5)same(slect$4 or activat$4)with (functions)same (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:13
L18	1858	(tilt$5 or inclin$5 or slant$5)with (functions)same (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:13
L19	943	(tilt$5 or inclin$5 or slant$5)with (functions)with (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:14

L20	91	(tilt$5 or inclin$5 or slant$5)near (functions)with (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:17
L21	2	(activat$4 or select$4)near (functions)with (project$5)with (tilt$5 or inclin$5 or slant$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:47
L22	19	projector near pen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 15:54
L23	9	(tilt$4 or inclin$4 or rotat$4)with (function) with (project$5)same (pen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:32
L24	4657	(tilt$4 or inclin$4 or rotat$4)with (mode or function) with (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:39
L25	103	(tilt$4 or inclin$4 or rotat$4)with (select$4)near(mode or function) with (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:38
L26	2	"6655597".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:38
L27	0	24 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:39
L28	9682	(tilt$4 or inclin$4 or rotat$4)with (mode or function) same (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:39
L29	0	28 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:40

L30	56751	(tilt$4 or inclin$4 or rotat$4)with (mode or function) and (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:55
L31	0	30 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:40
L32	120545	(tilt$4 or inclin$4 or rotat$4)same (mode or function) and (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:43
L33	0	32 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:43
L34	69329	(select$4)with (mode or function) and (project$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:43
L35	2	34 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:51
L36	2	"20030038928".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:54
L37	2	"6624826".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:54
L38	58	(hand adj held)same(tilt$4 or inclin$4 or rotat$4 or orient$5)with (select$4)with(mode or function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 16:56